Buttons

This card shows the Business Series Terminals buttons. The table below shows which buttons to use on the different types of Nortel Networks telephones.

Button Name	T7100, T7208, T7316	M7100, M7208, M7310, M7324
Feature	Ø	Feature
Hold	J	Hold
Volume Control	•	
Release	ſ	RIs

Norstar features

Background Music	©86Listen to music (provided by your office) through your telephone speaker when you are not on a call.
Button Inquiry	€ ★ 0 Check what is programmed on any button. Useful when labeling buttons.
Call Duration	© 7 Briefly display the approximate length of your current or most recent call.
Call Forward	Image: Cancel
Call Park	© 7 4 Put a call on hold so that it can be picked up from any telephone in your Norstar system. The display shows a three-digit retrieval code. To retrieve a parked call, press Intercom and dial a retrieval code on any telephone in your Norstar system. On the M7100 telephone, just lift the handset and dial the retrieval code.
Call Pickup - directed	© 7 6 Answer any ringing telephone. Press 7 6 and dial that telephone's extension number.
Call Pickup - group	b 7 5 Answer a call that is ringing at another telephone in your pickup group. The external call that has been ringing longest is answered first.

^{*} Meridian and Norstar are trademarks of Northern Telecom

Call Queuing	© 8 0 1 Answer the next call. If more than one call is waiting, priority is given to incoming external calls over callback, camped, or transferred calls.
Camp-on	e 8 2 Re-route a call to another telephone, even if all its lines are busy. Press e 8 2 , then dial the extension number of the receiving telephone.
Custom Call Routing(CCR)	(c) * 8 3 2 Turn CCR on or off. You must enter the System Coordinator or Basic password.
Class of Service password	 E 6 8 Change the dialing filters on a line or telephone for your next call, or gain external access to your system. Dialing filters determine which numbers you can dial. Press E 6 8 and enter a password provided by your system coordinator to change your class of service.
Conference	 ▶ 3 Establish a conference call between yourself and two other parties. 1. Make or answer the first call. 2. Put the first call on hold. 3. Make or answer the second call. 4. After the second call is connected, press ● 3 . 5. Press the line or intercom button of the first held call (not required on the M7100 telephone). 6. Press ● 10 end the conference call. To remove yourself from a conference permanently (unsupervised conference): Press ● 7 0. The other two callers remain connected. (Some external lines may not support this feature. See your system coordinator.) To put a conference on hold: Press ● . The other two callers can still talk to each other. To split a conference: Press the line or intercom button of one caller to consult privately while the other caller is on hold. To re-establish the conference, press ● 3. To disconnect one party: Press the line or intercom button of the caller you want to disconnect, then press ●. Press the line or intercom button of the remaining caller to resume your conversation. To independently hold two calls: Press the line or intercom button of the first caller, then press ●. The second caller is automatically put on hold. To re-establish the conference, retrieve one call from hold, press ● 3, then retrieve the second call from hold.
Contrast adjustment	
Dialing modes	© * 8 2 Choose one of three methods of dialing. 1. Press • * 8 2. 2. Press # to select the mode.

	 3. Press for to store the mode. Standard Dial: Select a line, then dial the number. (Standard Dial is always available, even when another dialing mode is selected.) Automatic Dial: Dial the number without choosing a line button first. Your prime line is automatically selected for the call. Pre-Dial: Dial the number, then press a line button to place the call. Edit the number by pressing for the call.
Do Not Disturb	©85When you are not on a call, to prevent all incoming calls, except priority calls, from ringing at your telephone. When you are on a call, block an incoming priority call.
Group Listening	© 8 0 2Cancel © # 8 0 2Use both the handset and speaker while you are on a call. To avoid electronic feedback, keep the handset away from the speaker during the call, and press rot bang up.
Hold	Temporarily suspend a call. To retrieve a held call, press the button next to the flashing indicator. (Press I on the M7100 telephone.) Exclusive Hold © 7 9 or © I Temporarily suspend a call and prevent other telephones from picking it up.
Language Choice	 (e) * 5 0 1 Select English as the language for the telephone display. (e) * 5 0 2 Select French as the language for the telephone display. (e) * 5 0 3 Select Spanish as the language for the telephone display.
Last Number Redial	ی 5 Automatically redial the last external telephone number that you dialed.
Line pools	 6 4 With a line pool, telephones can share several lines for making calls. 1. Press 6 6 4 or Intercom. 2. Enter a line pool access code. (See your system coordinator for a list.)
Line Redirection	© 8 4Cancel © # 8 4Send calls arriving on an external line to another telephone outside your Norstar system.(Some external lines may not support this feature. See your system coordinator.) Thisfeature is not available on the M7100 telephone.
Link	© 7 1 Generate a Link signal ଅ₅ to access a PBX or other host exchange.
Long Tones	© 8 0 8 Generate a tone for as long as you hold down a button. This is used to communicate with devices like fax or answering machines. Long tones are in effect only for your current call.

Messages	© 1 Cancel © # 1 Send a message to a Norstar telephone's display to have someone call you back.
	To view and reply to your messages
	1. Press 🕑 6 5.
	2. Press 🗮 and off to view your message list.
	3. Press D to call the person who left you the message.
	To erase a message 1. Press while viewing a message.
Moving line	Ø ¥ 8 1
buttons	Change the position of your line or hunt group buttons.
	1. Press 🕲 🗶 🖲 1.
	2. Press the line button that you want to move.
	3. Press the button to which you want to move the line.
	4. Press T . The two buttons are exchanged.
	5. Switch the button caps.
	Line buttons cannot be exchanged with intercom, Answer or Handsfree/Mute buttons.
Name and	© 8 1 9 Cancel © # 8 1 9
number	Block the outgoing name and/or number on a per-call basis.
blocking	1. Press 😰 8 1 9.
Page	6 0 and code (1 to 3) and zone (1,2,3, or None)
	Make a page announcement through either the internal (code 1) or external (code 2)
	speakers, or both (code 3).
	Page announcements are programmed to time-out after a pre-selected amount of time
	which is set by your installer.
	Internal page
	6 1 and zone (1,2,3, or None)
	Make a page announcement to all, or to a specific group of Norstar telephones, through
	the telephone speakers.
	External page
	¢ 6 2
	Make a page announcement through an external loudspeaker system.
	Internal and external page
	b 6 3 and zone (1,2,3, or None)
	Make a page announcement through both your Norstar telephone speakers and an
	external loudspeaker system.
Pause	© 7 8
	Program a 1.5 second delay , into an external autodial sequence.
	For pulse dialing, 🗶 also inserts a 1.5 second delay.
Priority Call	e 6 9
-	Interrupt a person who is on a call or using Do Not Disturb.
	A person on another call can press 😰 🖲 5 to block your priority call.
Programmed	€¥89
Release	Program at the end of an external autodial number to automatically release 20 the call.
	rogram at the one of an external automat number to automatically foldese EM the call.

Ring Again	© 2 Cancel © # 2
	Monitor a busy or unanswered telephone, or a busy line pool within your system. Ring
	Again signals you to call back when the telephone or line pool becomes available.
Ring type	Ø ¥ 6
	Select a distinctive ring to help differentiate between your telephone and others nearby.
	1. Press ♥ ★ 6.
	2. Enter the ring type number (1 to 4).
	3. Press .
Ring	
	Make your telephone ring so that you can adjust the volume. You can also adjust the
	volume any time your telephone rings.
Run/Stop	
	Store more than one autodial number or external carrier feature code on one memory
	button by inserting a break point a between numbers or codes. The first press of the
	button dials the first number or code; the next press dials the next number or code. You can program up to four numbers or codes separated by break points.
Saved	
Number	Save a number to redial later. Enter the code while you are on a call that you have dialed
	to save the number. Enter the code when you are not on a call to redial the saved number.
Service	Show services
Schedules	
	Display the services that have been turned on at a designated control set.
	Turn on one of six schedules for alternative ringing/call answering arrangements from a designated control telephone.
	Restriction services
	• 8 7 2 Cancel • # 8 7 2
	Turn on one of six schedules for alternative restrictions on particular lines or telephones
	from a designated control telephone. You are required to enter the System Coordinator
	password.
	Routing services
	© 8 7 3 Cancel © # 8 7 3
	Turn on one of six schedules for alternative routing on particular lines or telephones from
	a designated control telephone. You are required to enter the System Coordinator
	password.
Speed Dial	0
	Dial an external telephone number using a two-digit code. There are two types of speed
	dial codes: system (01 to 70) and personal (71 to 94). System speed dial codes can be
	used from any Norstar telephone in the system. They are assigned by your system
	coordinator. User speed dial codes are used exclusively at your telephone.
	To make a call using a speed dial code: 1. Press を 0.
	 2. Enter the two-digit code for the number (01 to 70 for system speed dial, 71 to 94 for
	User Speed Dial).

	 To program User Speed Dial numbers: Press () * (4). Enter a two-digit code from 71 to 94. Specify the external line by pressing a line button, a line pool button, or the intercom button. If you don't specify the line, the system automatically chooses a line for the call Dial the telephone number you want to program (up to 24 digits). Press . Record the code and number you have just programmed. You cannot program User Speed Dial numbers while someone else is programming your Norstar system.
System Answer	 € * 8 3 1 Turn System Answer on or off. You must enter the System Coordinator or Basic password.
Test a telephone	© 8 0 5 Test the telephone display, buttons, speaker, handset or headset (if available) and power supply. See the <i>System Coordinator Guide</i> for further instructions.
Time	© 8 0 3 Briefly display the time and date while you are on a call. © 8 0 6 Cancel © # 8 0 6 Replace message or call information on the display with the time and date.
Time & date	Enter a password provided by your system coordinator to change the time and date on all sets with a display in your Norstar system.
Transfer	 © 7 0 Send a call to another telephone within your Norstar system, or to an external telephone. You may not be able to transfer a call on an external line to an external telephone, depending on the capabilities of the lines. 1. Make or answer a call. 2. Press © 7 0. 3. Call the person to whom you want to transfer the call. 4. Stay on the line if you wish to speak to the person first. 5. Press rot complete the transfer. If an external call is transferred to a busy internal or network extension, or is not answered after a few rings, the call automatically rings again at your telephone.
Trunk Answer	© 8 0 0 Answer an external call on a line that has been placed into a Ringing Service schedule from any telephone in your Norstar system. This feature does not work for a private line.
User Preference	 € ★ ★ U S E R Make changes to your button programming, User Speed Dial numbers, call log, dialing options, display language, contrast, and ring type. See your system coordinator for the password to access this programming.
Voice call	66 Make a voice announcement or begin a conversation through the speaker of another Norstar telephone without first making the other telephone ring.

Voice call deny	© 8 Cancel © # 8 8 Prevent your telephone from receiving voice calls. As well, (Do Not Disturb) © 8 5 prevents your telephone from receiving voice calls.
Wait for dial tone	 E 8 0 4 Program an external autodial number to prompt the system to wait to receive dial tones from another system before proceeding with the dialing sequence.
Call Disp	olay Services
	The following features are only available if you subscribe to Call Display services from your local telephone company.
Autobumping	© 8 1 5 Have the system automatically delete the oldest log item from a full Call Log, so that a new log item can be stored.
Call Information	(e) 8 1 1 Display the name, number, or line name of a ringing or held call. Press # to move through the information displays.
Call Log	 (a) 8 1 2 Call Log displays use the following special characters: (underline) identifies a new item identifies answered calls identifies long distance calls identifies that the information has been shortened To view your Call Log Press * to view old items. Press * to view old items. Press * to view new items. Press * to view new items. Press * and * to move through your items. Press * and * to view more information on an item. To erase a Call Log entry Press * while viewing an item. To return a call from your Call Log Display the desired number on your telephone. Edit the number, if required. You can add numbers for long distance dialing or line pool access, or remove numbers using *. Press a line button then lift the handset.
Call Log options	(a) * 8 4 Select the type of calls that will automatically be stored in your Call Log. Press # to see the next setting. Press • to select the displayed setting.
Call Log password	 ▶ 8 5 Program a four-digit password for your Call Log. To remove a forgotten password, see your system coordinator.
Log a call	8 1 3 Store caller information for your current call in your Call Log.

P0941545 Issue 01 Printed in Canada