Certified for

S

Activate your Potential



Culture Plus Series SC 70 USB MS BLACK





SC 70 USB MS BLACK

Activate your potential

Sennheiser SC 70 USB MS BLACK is a doublesided, wired headset for professionals in enterprises and offices using Skype for Business. With its instant fit, excellent sound and refined styling it helps smooth user transition from traditional systems to Unified Communications to activate the full potential of your new communication culture.

Sound leadership

With Sennheiser Voice Clarity and a noisecancelling microphone, the SC 70 USB MS BLACK optimizes speech intelligibility in noisy environments to deliver a more natural conversational experience during calls for both caller and listener. Sound enhancement profiles adjust automatically for optimal communication or multimedia use.

Quality design

With its contemporary styling, the SC 70 USB MS BLACK looks good from front-desk to Skype call. A lightweight headband with leatherette padding flexes and adjusts for a personalized fit and a bendable boom arm positions the microphone perfectly.

User focus

With its instant-fit features and choice of acoustic foam ear pads or soft leatherette covers, the SC 70 USB MS BLACK immediately provides users with superior comfort. Features an in-line call control unit for seamless call management and Sennheiser ActiveGard[®] technology to safeguard users from acoustic shock. A carry pouch for transport or storage protects the headset when not in use.


Features and Benefits:

- Certified for Skype for Business with integrated call control and USB connector
- Sennheiser Voice Clarity wideband sound for a natural listening experience
- Noise-cancelling microphone filters out ambient noise for optimum speech clarity
- Unique contemporary design crafted with look and feel in mind
- Instant comfort flexible headband with leatherette padding adjusts for perfect fit
- 2-in-1 ear pad styles choose between soft leatherette or light acoustic foam for maximum comfort
- Optimized for communication and multimedia – with automatic sound enhancement profiles

- In-line call control unit simple and functional for easy call management
- Bendable boom arm ensures optimal microphone position
- Sennheiser ActiveGard[®] technology
 protects users from acoustic shock
- Protective carry pouch for easy storage or transport
- Switchable Noise at Work limiter in compliance with EU Noise at Work legislation (Directive 2003/10/EC).

Product Information

Product name SL 70 USB NO BLACK Art. No. 40 44155 2086 8 GAT. NO. 40					
EAN No. 64 4155 2069.6 8 UPR No. 615 104 2702 0 Binaual UC headast for Skype for Business	Product name	SC 70 USB MS BLACK			
IPP No. 6 15104 2702 0 Product description Binaural UC headset for Skype for Business General Joan					
Induct distription Binaural UC headset for Skype for Business Ceneral Data Image: Content of		40 44155 20696 8			
Image: Style Headband, monaural (single-sided) Cable length 2.1 m / 6.89 ft Connector USB Supported operating systems Microsoft Windows® and Apple Mac OS Black leatherette padding on headband and ear pad covers USB Weight headset, cable and connector 120 g / 4.23 oz Microphone type Noise-Cancelling Frequency response - communication JSD - 6.800 Hz (Wideband) Speaker		6 15104 27022 0			
Weardband, monaural (single-sided) Cable length 2.1 m / 6.89 ft. Connector USB Supported operating systems Microsoft Windows9a and Apple Mac OS Color Black keatherette padding on headband and ear pad covers Weight: headset, cable and connector 120 g / 4.23 oz Microphone 120 g / 4.23 oz Microphone 120 g / 4.23 oz Microphone type Noise-cancelling Frequency response - communication/ 150 - 6,500 Hz. (VideBand) telecommunication 150 - 6,500 Hz. Speaker Type Neodynium Magnet Speaker Frequency response - multimedia 60 - 16,000 Hz. Sound pressure Max 113 dB limited by ActiveGard® Call control unit - Factage fype Poly bag with product label on each Item Tox 240 x 60 mm / 6.69 x 9.45 x 2.36 in 1/0 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (mit, product and packaging) 1/0 x 240 x 60 mm / 15.16 x 12.40 x 18.50 in (mit, product and packaging) 1/0 px 6 Package type Poly bag with product label on each Item Dimension of master carton 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x 0)	Product description	Binaural UC headset for Skype for Business			
Call eingth 2.1 m / 6.89 ft Connector USE Supported operating systems Microsoft Windows® and Apple Mac OS Black leatherette padding on headband and ear pad covers Black leatherette padding on headband and ear pad covers Microphone 12/9 / 4.23 oz Microphone type Nede-cancelling Microphone type Nede-cancelling Microphone type Nede-cancelling Speaker Speaker Frequency response - nommunication Sough (Wideband) Speaker type Neddynium Magnet Speaker Frequency response - nutified Answer/End a call - Volume up/down - - Volume up/down - - Noige up/down - - Noige up/down - - Redial last outgoing call - Packaging Sovige type Units distributor master carbo Sovige type <th>General Data</th> <th></th> <th></th> <th></th> <th></th>	General Data				
Connector USB Supported operating systems Microsoft Windows® and Apple Mac OS Galor Black leatherette padding on headband and ear pad covers Weight: headset, cable and connector 120 g/ 4.23 oz Microsoftener Noise-cancelling Frequency response communication/ telecommunication 150 - 6,800 Hz (Wideband) Speaker Type Neise-cancelling Speaker Type Neise-cancelling Frequency response - multimedia 60 - 16,000 Hz Speaker Type Neixe-Cancelling Frequency response - multimedia 60 - 16,000 Hz Sound pressure Max 113 dB limited by ActiveGard® Call control unit - Frequency response - multimedia 60 - 16,000 Hz Sound pressure Nax 113 dB limited by ActiveGard® Call control unit - Package type Poly bag with product label on each item Dimension of product packaging) 170 x 240 x 60 mm / 6 69 x 9.45 x 2.36 in (Incl. product and packaging) - Units in distributor master carton 385 x 315 x 470 mm / 1516 x 12.40 x 18.50 in Dimension of master carton 385 x 31	Wearing style	Headband, monaural (single-sided)			
Supported operating systems Microsoft Windows® and Apple Mac OS Back leatherette padding on headband and ear pad covers Wicrophone Noise-cancelling Microphone type Noise-cancelling Frequency response - communication 150 – 6.800 Hz (Wideband) Speaker Noise-cancelling Frequency response - multimedia 00 – 16.000 Hz Sound pressure Max 113 all inited by ActiveGard® Call control unit - Answer/End a call - Volume up/down - Microphone ach item Packaging - Answer/End a call - Volume up/down - Microphone ach item Dimension of product packaging) 10/ 2 × 40 × 60 mm / 6.69 × 9.45 × 2.36 in (W × H × D) 157 g / 5.54 oz Units in distributor master carton 40 pcs Master carton weight incl. product and packaging) 157 g / 5.54 oz Units in distributor master carton (W × H × D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Spaaker - Leadset with fiam ear pads and leatherette covers - Carty pouch - Quick guide - Spaaker weight incl. product - Headset with fiam ear pads and leatherette covers - Carry pouch - Quick guide - Spaaker weight incl. product - Headset with fram ear pads 2.605 50 50513 40 44155 20743 9	Cable length	2.1 m / 6.89 ft			
Color Bick leatherette padding on headband and ear pad covers Weight: headset, cable and connector 120 g / 4.23 oz Microphone type Noise-cancelling Frequency response - communication 150 - 6,800 Hz (Wideband) Speaker type Noise-cancelling Frequency response - multimedia 60 - 16,000 Hz Sound pressure Max 11 3 dB limited by ActiveGard® Call control unit - Frequency response - multimedia Object a call - Answer/End a call - Volume up/down - Microphone mute - - Package weight 157 g / 5.54 oz Ohis in distributor master carton 280 pcs Master carton weight 7.79 kg / 17.17 lbs Dimension of master carton 285 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in With pack/end user 1 pc Content of delivery - Product name - - Outic gaid of from Covers 2 of 2.505 2 40 4.4155 2074.3 9 6 6 15104 27088 1 Outic gaid of a call - - Package weight 10 pc - Dimension of product packaging)	Connector	USB			
Weight: headset, cable and connector 120 g / 4.23 oz Microphone type Noise-cancelling Frequency response - communication/ 150 – 6,800 Hz (Wideband) Speaker type Neodynium Magnet Speaker Speaker type Neodynium Magnet Speaker Sound pressure Max. 113 dB limited by ActiveGard® Call control unit	Supported operating systems	Microsoft Windows [®] and Apple Mac OS			
Weight: headset, cable and connector 120 g / 4.23 oz Microphone type Noise-cancelling Frequency response - communication/ 150 – 6,800 Hz (Wideband) Speaker type Neodynium Magnet Speaker Speaker type Neodynium Magnet Speaker Sound pressure Max. 113 dB limited by ActiveGard® Call control unit	Color	Black leatherette padding on headband a	and ear pad covers		
Microphone type Noise-cancelling Prequency response - communication/ telecommunication 150 - 6,800 Hz (Wideband) Speaker 60 - 16,000 Hz (Wideband) Speaker type Neodynium Magnet Speaker 60 - 16,000 Hz Sound pressure Max. 133 dB limited by ActiveGard® Call control unit	Weight: headset, cable and connector				
Microphone type Noise-cancelling Frequency response - communication/ Speaker 150 – 6,800 Hz (Wideband) Speaker Speaker Speaker type Neodynium Magnet Speaker Frequency response - multimedia 60 – 16,000 Hz Sound pressure Max. 113 dB limited by ActiveGard® Call control unit - Features - Answer/End a call - Volume up/down - - Redial last outgoing call - Packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (W x x k 2) 157 g / 5.54 oz (Inct. product and packaging) 107 x 240 x 60 cm / 5.69 x 9.45 x 2.36 in (W x k x 2) 157 g / 5.54 oz Units in distributor master carton 40 pcs Master carton weight 7.79 kg / 17.17 lbs Inct. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Uwit k x bit Ouck guide - Cartry pouch - Quick guide - Guick guide - Safety guide Speae Parts EAN No. UPC No. CB2 Carry pouch for SC 40/70 Sot5051 40 44155 20743 9 <th></th> <th></th> <th></th> <th></th> <th></th>					
Frequency response - communication/ telecommunication 150 - 6,800 Hz (Wideband) Speaker type Neodynium Magnet Speaker Frequency response - multimedia 60 - 16,000 Hz Sound pressure Max. 113 dB limited by ActiveGard® Call control unit - Features - Answer/End a call - Volume up/down - Microphone mute - Nicrophone mute - Nicrophone mute - Nicrophone mute - Nicrophone mute Packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package type Poly bag with product label on each item 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package weight (incl. product and packaging) 157 g / 5.54 oz Units in distributor master carton (Wx H x D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D) Dimension of naster carton (W x H x D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D) Unit pack/end user 1pc Content of delivery - Box content - - Safety guide - Safety guide - - Safety guide - - Safety guide - - Carty pouch for SC 40/70 S06512 40 44155 20743 9 6 15104 27088 3 HZP 32 Foam ear pads, 26 pcs <td< th=""><th></th><th>Noise-cancelling</th><th></th><th></th><th></th></td<>		Noise-cancelling			
telecommunication speaker type Neodynium Magnet Speaker Go - 16.000 Hz Sound pressore GO - 16.000 Hz Go - 16.000 Hz Sound pressore Max. 113 dB limited by ActiveGard© Call control unit Features - Answer/End a call - Answer/End a call - Answer/End a call - Actoging Packaging Packaging Packaginy (Wx Hx D) Packaginy Units in distributor master carton Aps x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W X H X D) Packaging Units in distributor master carton do ps Master carton weight 7.9 k / 5.14 oz (W X H X D) Unit pack/end user					
Speaker type Neodynium Magnet Speaker Frequency response - multimedia 60 - 16,000 Hz Max. 113 dB limited by ActiveGard©		150 0,000 112 (Wideballa)			
Speaker type Neodynium Magnet Speaker Frequency response - multimedia 60 - 16,000 Hz Max. 113 dB limited by ActiveGard©	Speaker				
Frequency response - multimedia 60 - 16,000 Hz Sound pressure Max.13 dB limited by ActiveGard® Call control unit - Answer/End a call Features - Answer/End a call - Nolume up/down - Microphnoe mute - Redial last outgoing call - Microphnoe mute Package type Poly bag with product label on each item Dimension of product packaging (Wx H x D) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package weight (Incl. product and packaging) 157 g / 5.54 oz Units in distributor master carton Master carton weight incl. products 157 g / 5.54 oz Dimension of master carton (Wx H x D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Umits in distributor master carton (W x H x D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Unit pack/end user 1 pc Content of delivery - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide EAN No. UPC No. Carge Parts - EAN No. UPC No. Carge Parts - Carry pouch - Quick guide - Sound Quick Sub 34 04 4155 20743 9 6 15104 27083 1 TZP 42 BLACK Leatherette ear pad covers, 2 pcs 506513 40 44155 20747 7		Neodynium Magnet Speaker			
Sound pressure Max: 113 dB limited by ActiveGard@ Call control unit - Features - - Packaging - - Package type Poly bag with product label on each item - Dimension of product packaging (Wx H x D) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in - Package weight (Incl. product and packaging) 157 g / 5.54 oz - - Units in distributor master carton (Wx H x D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in - - Owner the features - - - - - Dimension of master carton (Wx H x D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in - - - Outit pack/end user - - - - - - Dimension of master carton (W x H x D) - - - - - - - Dimension of master carton (W x H x D) - - - - - - - - - - - - - - -					
Call control unit - Answer/End a call Features - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Microphone mute Package type Poly bag with product label on each item Dimension of product packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (W x H x D) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package weight 157 g / 5.54 oz (Incl. product and packaging) 170 x 240 x 60 mm / 16.69 x 9.45 x 2.36 in Master carton weight 1.57 g / 5.54 oz Init in distributor master carton 40 pcs Master carton weight 7.79 kg / 17.17 lbs Ind, products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Uwit pack/end user 1pc Content of delivery - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safet guide - Safet guide Spare Parts - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safet guide - Garry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 42 BLACK Leatherette ear pad cover					
Features - Answer/End a call - Volume up/down - Volume up/down - Redial last outgoing call - Redial last outgoing call Package type Poly bag with product label on each item Dimension of product packaging (W x H x D) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package weight 157 g / 5.54 oz (incl. product and packaging) 157 g / 5.54 oz Units in distributor master carton 40 pcs Master carton weight 7.79 kg / 17.17 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D) 1 pc Content of delivery - Box content - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guide - Safety 200 (- 6 15104 27088 1 HZP 43 BLACK Leatherette ear pad covers, 2 pcs 506513 40 44155 20743 9 6 15104 27088 6 HZP 32 Foam ear pads, 26 pcs 504551 40 44155 08342 2 6 15104 27089 3		- Flax. 115 db miniced by Actived and			
 Volume up/down Microphone mute Redial last outgoing call 		Answor/End a call			
- Nicrophone mute - Redail last outgoing call Packaging Package type Poly bag with product label on each item Dimension of product packaging (W x H x D) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package weight 157 g / 5.54 oz (incl. product and packaging) 40 pcs Master carton weight 7.9 kg / 17.17 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Dimension of master carton (W x H x D) 1pc Content of delivery - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guide - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guide - Safety guide UPC No. CB02 Carry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 43 BLACK Leatherette ear pad covers, 2 pcs 506512 40 44155 20747 7 6 15104 27089 8 HZP 33 Foam ear pads, 26 pcs 504550 40 44155 083412 5 6 15104 27089 3	reatures				
- Redial last outgoing call Packaging Package type Poly bag with product label on each item Dimension of product packaging) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package weight 157 g / 5.54 oz (incl. product and packaging) 157 g / 5.54 oz Units in distributor master carton 40 pcs Master carton weight 7.79 kg / 17.17 lbs jncl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Unit pack/end user 1 pc Content of delivery					
Package typePoly bag with product label on each itemDimension of product packaging (W x H x D)170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 inPackage weight (incl. product and packaging)157 g / 5.54 ozUnits in distributor master carton Master carton weight incl. product s157 g / 5.54 ozDimension of master carton (W x H x D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D)Unit pack/end user1 pcContent of delivery					
Dimension of product packaging (W × H × D) 170 × 240 × 60 mm / 6.69 × 9.45 × 2.36 in Package weight (micl. product and packaging) 157 g / 5.54 oz Units in distributor master carton Master carton weight incl. products 157 g / 5.54 oz Dimension of master carton (W × H × D) 40 pcs Dimension of master carton (W × H × D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Unit pack/end user 1 pc Content of delivery	Packaging				
(W x H x D) Package weight 157 g / 5.54 oz (incl. product and packaging) 40 pcs Master carton meight 7.79 kg / 17.17 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Dimension of master carton 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D) 1pc Content of delivery - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guide - Safety guide - Safety guide - Safety guide - Safety guide - Safety guide EXPACE Carry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 43 BLACK Leatherette ear pad covers, 2 pcs 506512 40 44155 08341 5 6 15104 27089 6 HZP 33 Foam ear pads, 26 pcs 504550 40 44155 08341 5 6 15104 27089 3	Package type	Poly bag with product label on each item	1		
(W x H x D) Package weight 157 g / 5.54 oz (incl. product and packaging) 40 pcs Master carton meight 7.79 kg / 17.17 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Dimension of master carton 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D) 1pc Content of delivery - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guide - Safety guide - Safety guide - Safety guide - Safety guide - Safety guide EXPACE Carry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 43 BLACK Leatherette ear pad covers, 2 pcs 506512 40 44155 08341 5 6 15104 27089 6 HZP 33 Foam ear pads, 26 pcs 504550 40 44155 08341 5 6 15104 27089 3	Dimension of product packaging				
(incl. product and packaging)Units in distributor master carton Master carton weight incl. products40 pcs7.79 kg / 17.17 lbs incl. products7.79 kg / 17.17 lbsDimension of master carton (W x H x D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 inUnit pack/end user Content of delivery1 pcBox content- Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare PartsProduct nameProduct nameDescriptionGC02 LEatherette ear pad covers, 2 pcs50651240 44155 20743 96 15104 27083 1HZP 43 BLACK Leatherette ear pads, 26 pcs50455040 44155 08341 56 15104 27089 6HZP 33Foam ear pads, 26 pcsFoam ear pads, 26 pcs50455140 44155 08342 26 15104 23692 9HZP 33Foam ear pads, 26 pcsHZP 43 BLACKLeatherette ear pad covers, 26 pcsHZP 33Foam ear pads, 26 pcsHZP 33Foam ear pads, 26 pcs					
Units in distributor master carton Master carton weight incl. products40 pcs 7.79 kg / 17.17 lbsDimension of master carton (W x H x D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D)Unit pack/end user1 pcContent of delivery-Box content Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare Parts-Product nameDescriptionArt. NoEAN No.UPC No.CB02 Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 43 BLACK HZP 43 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20747 76 15104 27089 3HZP 33Foam ear pads, 26 pcs50455140 44155 08341 56 15104 23692 9	Package weight	157 g / 5.54 oz			
Master carton weight incl. products7.79 kg / 17.17 lbsDimension of master carton (W × H x D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 inUnit pack/end user1 pcContent of delivery-Box contentHeadset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare Parts-Product nameDescriptionArt. NoEAN No.UPC No.CB02Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 42 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20747 76 15104 27089 3HZP 32Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9	(incl. product and packaging)				
incl. products Dimension of master carton (W × H × D) Unit pack/end user 1 pc Content of delivery Box content - Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guide Spare Parts Product name CB02 Carry pouch for SC 40/70 Carry pouch for SC 40/70 Carry pouch for SC 40/70 Sofo509 40 44155 20743 9 6 15104 27083 1 HZP 42 BLACK Leatherette ear pad covers, 2 pcs Sofo512 40 44155 20747 7 6 15104 27089 3 HZP 33 HZP 33 Foam ear pads, 2 pcs So4551 40 44155 08341 5 6 15104 23692 9 HZP 33	Units in distributor master carton	40 pcs			
Dimension of master carton (W × H × D)385 × 315 × 470 mm / 15.16 × 12.40 × 18.50 inUnit pack/end user1 pcContent of delivery-Box content- Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare Parts-Product nameDescriptionArt. NoEAN No.UPC No.CBO2Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 42 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20747 76 15104 27089 3HZP 33Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9		7.79 kg / 17.17 lbs			
(W x H x D) Unit pack/end user1 pcContent of delivery- Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare Parts- DescriptionArt. NoEAN No.UPC No.CB02 CB02Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 42 BLACK HZP 43 BLACK HZP 33Leatherette ear pad covers, 2 pcs50651240 44155 20747 76 15104 27089 3HZP 33Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9	incl. products				
Unit pack/end user1 pcContent of delivery- Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare Parts- DescriptionArt. NoEAN No.UPC No.CB02Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 42 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 43 BLACKLeatherette ear pad covers, 2 pcs50651340 44155 20747 76 15104 27089 3HZP 32Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9		385 x 315 x 470 mm / 15.16 x 12.40 x 1	.8.50 in		
Content of deliveryBox content- Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare PartsProduct nameDescriptionArt. NoEAN No.UPC No.CB02Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 42 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 43 BLACKLeatherette ear pad covers, 26 pcs50651340 44155 20747 76 15104 27089 3HZP 32Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9					
Box content- Headset with foam ear pads and leatherette covers - Carry pouch - Quick guide - Safety guideSpare PartsDescriptionArt. NoEAN No.UPC No.CB02Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 42 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 43 BLACKLeatherette ear pad covers, 26 pcs50651340 44155 20747 76 15104 27089 3HZP 32Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9		_ <u>1 pc</u>			
- Carry pouch - Quick guide - Safety guide - Safety guide - Safety guide - Safety guide Product name Description Art. No EAN No. UPC No. CB02 Carry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 42 BLACK Leatherette ear pad covers, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 43 BLACK Leatherette ear pad covers, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 HZP 32 Foam ear pads, 2 pcs 504550 40 44155 08341 5 6 15104 23692 9 HZP 33 Foam ear pads, 26 pcs 504551 40 44155 08342 2 6 15104 23693 9	Content of delivery				
- Quick guide - Safety guide Spare Parts Product name Description CB02 Carry pouch for SC 40/70 Sofesty Leatherette ear pad covers, 2 pcs Sofesty 40 44155 20743 9 HZP 42 BLACK Leatherette ear pad covers, 2 pcs HZP 43 BLACK Leatherette ear pad covers, 26 pcs HZP 32 Foam ear pads, 2 pcs Foam ear pads, 2 pcs 504550 40 44155 08341 5 6 15104 27089 3 HZP 33 Foam ear pads, 26 pcs	Box content				
- Safety guide Spare Parts Product name Description Art. No EAN No. UPC No. CB02 Carry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 42 BLACK Leatherette ear pad covers, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 43 BLACK Leatherette ear pad covers, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 HZP 32 Foam ear pads, 2 pcs 504550 40 44155 08341 5 6 15104 23692 9 HZP 33 Foam ear pads, 26 pcs 504551 40 44155 08342 2 6 15104 23693 9					
Spare Parts Product name Description Art. No EAN No. UPC No. CB02 Carry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 42 BLACK Leatherette ear pad covers, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 43 BLACK Leatherette ear pad covers, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 HZP 32 Foam ear pads, 2 pcs 504550 40 44155 08341 5 6 15104 23692 9 HZP 33 Foam ear pads, 26 pcs 504551 40 44155 08342 2 6 15104 23693 9					
Product name Description Art. No EAN No. UPC No. CB02 Carry pouch for SC 40/70 506509 40 44155 20743 9 6 15104 27083 1 HZP 42 BLACK Leatherette ear pad covers, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 43 BLACK Leatherette ear pad covers, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 HZP 32 Foam ear pads, 2 pcs 504550 40 44155 08341 5 6 15104 23692 9 HZP 33 Foam ear pads, 26 pcs 504551 40 44155 08342 2 6 15104 23693 9	Course Danta	- Salety guide			
CB02Carry pouch for SC 40/7050650940 44155 20743 96 15104 27083 1HZP 42 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 43 BLACKLeatherette ear pad covers, 26 pcs50651340 44155 20747 76 15104 27089 3HZP 32Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9		Description	A		
HZP 42 BLACKLeatherette ear pad covers, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 43 BLACKLeatherette ear pad covers, 26 pcs50651340 44155 20747 76 15104 27089 3HZP 32Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9					
HZP 43 BLACKLeatherette ear pad covers, 26 pcs50651340 44155 20747 76 15104 27089 3HZP 32Foam ear pads, 2 pcs50455040 44155 08341 56 15104 23692 9HZP 33Foam ear pads, 26 pcs50455140 44155 08342 26 15104 23693 9					
HZP 32 Foam ear pads, 2 pcs 504550 40 44155 08341 5 6 15104 23692 9 HZP 33 Foam ear pads, 26 pcs 504551 40 44155 08342 2 6 15104 23693 9					
HZP 33 Foam ear pads, 26 pcs 504551 40 44155 08342 2 6 15104 23693 9					
			304331	40 44133 08342 2	0 13104 23093 9



Experience Sennheiser

Perfection is always relative: Users have different expectations from their headsets and speakerphones depending on their needs. For professional users, that need is to communicate as effectively as possible.

With Sennheiser's range of headsets and speakerphones, the combination of Sennheiser sound leadership, quality design and build – and a focus on real life usability – give the best performance possible in offices, call centers and Unified Communications environments.

Please visit us at: www.sennheiser.com/cco

🗾 SENNHEISER

Sennheiser is one of the world's leading manufacturers of headphones, microphones, wireless transmission systems and highquality headsets and speakerphones for both business and entertainment.

Drawing on the electro acoustics expertise of Sennheiser and the leading hearing healthcare specialist William Demant, Sennheiser Communications' wireless and wired headsets for contact centers, offices and Unified Communications professionals are the result of Sennheiser's and William Demant's joint leadership in sound quality, design, wearing comfort and hearing protection.

For further information, please visit: www.sennheiser.com/cco

Sennheiser Communications A/S

Industriparken 27 · DK-2750 Ballerup · Denmark