

**brother**<sup>®</sup>  
at your side

FAX-8360P



## **FAX-8360P**

**Corporate communication with efficiency on your side**

- 33,600bps Modem
- Up to 250 Sheets paper capacity
- Optional extra paper cassette (Total capacity 500 sheets)
- Up to 30 sheet automatic document feeder
- 232 Speed dials




33.6kpbs Super  
G3 Modem



200 Speed Dials



32 One-Touch  
Dials



8MB Memory-  
Expandable with  
Optional 16/32MB DIMM

# FAX-8 Corporate communication with efficiency on your side

## FAX-8360P

The FAX-8360P combines a range of high quality fax and copy functions with efficient innovations in technology to give you a superior communications solution for your corporate office.



# LASER FAX



# 360P



## Functions

### Fast, Quality Fax Transmission

The machine's 33.6kbps Super G3 modem can transmit faxes in as little as 2 secs\*, improving office efficiency and reducing transmission costs.

The machine has 64 levels of grey available for faxing. Add to this the Super Fine function which enables high quality transmission of very small print or line drawings, the FAX-8360P is everything you would expect from Brother.

### Speed Dialling

Fax numbers of key contacts, clients and suppliers can be programmed into the machine's expansive memory using the available 32 One-touch Dial Keys and 200 Speed Dial Locations, enabling fast access to regularly used numbers.

### Secure Use

Any unauthorised use or access to the FAX-8360P's faxing, copying and programming functions is halted by the inclusion of a user-defined PIN number, with incoming faxes stored in the memory and only printed when the secure mode is deactivated.

### Convenient Document Handling

For added ease and convenience when sending longer outgoing documents, the FAX-8360P allows you to send a document up to 30 pages in length.

### Efficient Multi-tasking

For the ultimate in office efficiency, the FAX-8360P allows documents to be loaded into the machine's memory whilst other faxes are sent or received, with those stored documents being sent as soon as the line becomes free.

### Superior Copying Performance

Not only does the FAX-8360P offer superior fax functions for your corporate office environment, it also has a range of useful copying functions that will prove indispensable.

The FAX-8360P offers a copying speed of up to 11 copies per minute. It also enables you to make up to 99 copies of each page loaded into the automatic document feeder. The machine also offers the useful function of being able to compress 2 or 4 pages onto a single sheet and reduce or increase the size of a single document from 50% to 200% in 1% increments.

## Expandability to Suit Your Needs

### Paper Capacity

The FAX-8360P offers up to 250 sheet paper capacity as standard, this can also be increased up to 500 sheets with an optional extra paper cassette, for long lasting paper supply in high reception environments.

### Memory

The FAX-8360P has a standard 8MB memory capacity, allowing up to 4 days memory back-up as well as up to 500 page receive or transmit memory\*\*.

This can be expanded with optional 16 or 32MB Dimm cards, increasing performance even further.

\*Based upon Brother Test chart No 1 (JBIG)

\*\*Based upon ITU-T Test Chart # 1 with JBIG coding and standard resolution.

# FAX-8360P



Toner &amp; Drum

## Technical Specification

### General

Engine	Laser
Input / Output Width	Up to 216 mm
ADF ( Auto Document Feed )	Up to 30 sheets
Paper Capacity	Up to 250 sheets
Additional paper capacity	Up to 250 sheets with optional paper tray (LT400)
Cassette control function	This enables the user to dedicate the lower tray to a particular function, e.g. Incoming faxes only
Output Paper Capacity	150 sheets
LCD Display Size	2 lines of 16 characters
On-Screen Programming	Step by step prompts are displayed within the LCD in order to facilitate programming machine options and settings
Backup for clock	Up to 9 hrs
Total Memory Capacity	8 MB (RAM) (Increase up to 40MB using 16 or 32MB DIMM)
Memory Backup	Up to 4 days

### Fax

Modem Speed (bps)	33,600
Transmission Speed Approx	2 seconds (Brother #1 Chart, JBIG)
ITU-T group compatibility	Super G3
Data Compression	MH / MR / MMR / JBIG
Automatic Redial	Automatic redialling if the recipient fax is busy
One-Touch Dial Keys	32 locations
Speed dials	200 Speed Dial locations
Group Dial	Up to 6 groups
Memory Security	Allows prevention of unauthorised access to the Fax machine
Telephone Index	An electronic, alphabetical listing of stored one-touch, speed dial and group numbers
Distinctive Ring Detection	A service purchased from the Telephone Company that allows two or more telephone numbers to share a single fixed line, the function enables the machine to provide a different ring pattern for each number
FAX/TEL Switch	Automatic recognition of fax and telephone reception
Super Fine	Enables quality transmission of very small print and line drawings
Grey Scale	64 levels
Contrast	Auto / light / dark
Enhanced Remote Activate	Transfer a fax call, answered at an extension phone, to the fax machine
Delayed Timer	Up to 50 fax numbers
Polling Type	Standard and Secure
Quick-Scan	Reduce scanning times by scanning a fax into memory before sending. Approx. 2 secs per page A4 standard
Page Memory	Up to 500 Pages (JBIG / Standard Resolution)**
Broadcasting	Send the same fax message to up to 282 separate locations, manual 50 locations
Batch Transmission Memory	Stores documents for the same location in the machine for transmission in a single call
Auto Reduction	When receiving a single page document between 297mm and 350mm long the fax machine will automatically reduce the message to fit onto a single A4 sheet

### ECM ( Error Correction Mode )

Dual Access	Where machines share the ECM feature, they detect errors during fax transmission and resend the page(s) of the document that had an error
Fax Forwarding	Allows the user to perform 2 different operations on the machine at the same time
Remote Access	Sends a fax received in memory to another pre-programmed fax number
Fax Retrieval	Allows the user to remotely access their machine by using another touch tone phone
	Allows the user to retrieve fax messages using another touch tone machine

### Copy

Speed	Up to 11 copies per minute
Warm up time from ready/Sleep Mode	It takes approximately 17 seconds for a first copy to be delivered from ready mode and 25 seconds from Sleep mode
Resolution	Up to 600 x 300 dpi
Multi-Copying / Stack / Sort	Makes up to 99 copies of each page loaded in the ADF, Stacks or Sorts
2 in 1 / 4 in 1	Allows the user to compress 2 or 4 pages into 1 single page
Enlargement/Reduction Ratio	Reduce or increase document sizes from 50% to 200% in 1% increments

### List / Report

Journal Report	Lists information about the last 200 incoming and outgoing faxes
Transmission Verification Report	Reports transmission details after each fax is sent
Cover-page	Generates a cover page at the recipients machine
Help List	By pressing the Reports key a list of basic operational steps and functions can be printed
System Set-up List	A printed report that shows the current setting of your machine
Order form	An order form will be printed when you press the Reports key, select 'order form' and press the start key

### Interface

External TAD Interface	Interface for connecting external telephone answering devices
------------------------	---

### Weights and Measures

Dimensions	377mm width x 442mm depth x 323mm high
Weight	12 Kg
Power Consumption	Sleep: 10 W or less Stand-by: 70 W or less Peak: 940 W or less

### Consumables / Optional Accessories

Standard Toner	TN6300 (Approx 3,000 pages with 5% coverage)
High Yield Toner	TN6600 (Approx 6,000 pages with 5% coverage)
Drum	DR6000 (Up to 20,000 pages)
Lower Paper Tray	LT400 (Holds up to 250 sheets)
Memory Upgrades	16MB & 32MB Dimm cards

\*\*Based Upon ITU-T Test Chart #1 with JBIG coding and standard resolution.

Contact:

**brother**  
at your side

### Brother UK Ltd,

Audenshaw, Manchester M34 5JD

Tel: +44 (0)8444 999 4444 Fax: +44 (0)870 830 4031

Website: [www.brother.co.uk](http://www.brother.co.uk)

Your calls to us may be monitored or recorded for training purposes.

Specification correct at time of going to print. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks of their respective companies.